

Section 1 Identification

Canned Air **Trade Name:** Product Identification: 4634 134A Synonyms:

Product Use Description: Air duster

General Info Phone: (800) 795-9222 Emergency Phone: (800) 535-5053

Supplier:

ABC COMPOUNDING CO. INC.

6970 JONESBORO RD Morrow, GA 30260

Section 2 Hazards Identification

Classifications

Gasses under pressure - Compressed gas Simple Asphyxiant



Compressed Gas

Signal Word: Warning

Hazard Statements

Keep out of reach of children.

Read label and SDS before use.

Contains gas under pressure; may explode if heated.

May displace oxygen and cause rapid suffocation.

May cause frostbite.

Precautionary Statements

Prevention

Do not handle until all safety precautions have been read and understood.

Do not get in eyes, on skin, or on clothing.

Use only outdoors or in a well-ventilated area.

Keep away from heat, sparks, open flames and hot surfaces. □ -No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Hazards Not Otherwise Specified

Asphyxiant in high concentrations.

Section 3 Composition

Concentration % by Weight CAS# **Chemical Name** 1,1,1,2-Tetrafluoroethane 811-97-2 <= 100

Section 4 First Aid

Trade Name: SDS #: Canned Air Page 1 of 5 Revision Date 05/01/2015 SDS ID: SDS00199 463416B Revision #



EMERGENCY OVERVIEW

WARNING. Asphyxiant in high concentrations: may displace oxygen and cause rapid suffocation. May cause frostbite. Contents under pressure. Keep away from heat and flame.

EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Get immediate medical attention.

SKIN: Wash with lukewarm water. Treat for frostbite if necessary. If skin irritation occurs get medical attention. Take off contaminated clothing and wash it before reuse.

INHALATION: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

INGESTION: Not considered a potential route of exposure.

Section 5 Fire Fighting Measures

Suitable fire extinguishing media:

Use water spray, fog or foam.

Specific hazards arising from the chemical:

In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of subsequent explosion. Bursting aerosol containers may be propelled from a fire at high speed. Gas may accumulate in confined areas and displace oxygen causing suffocation.

Hazardous thermal decomposition products:

Fluorine, Carbonyl fluoride.

Specific fire-fighting methods:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire fighters:

Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

Section 6 Accidental Release Measures

Personal precautions:

Put on appropriate personal protective equipment (see section 8). Gas may accumulate in confined areas and displace oxygen causing suffocation.

Environmental precautions and clean-up methods:

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Disperse vapors with water spray.

Section 7 Handling and Storage

 Trade Name:
 Canned Air
 SDS #:
 4634
 Page 2 of 5

 SDS ID:
 SDS00199
 463416B
 Revision # 1
 Revision Date 05/01/2015



Do not use or store near heat, sparks or open flame. Exposure to temperatures above 120 F may cause bursting. Do not puncture or incinerate container. Store in a cool, dry place. Do not get in eyes, on skin or on clothing. Intentional misuse by deliberately concentrating and inhaling may be harmful or fatal. Keep out of reach of children.

Section 8 Exposure Controls/Personal Protection

Eye Protection: Wear safety glasses or goggles.

Skin Protection: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene).

Respiratory Protection: When respiratory protection is required use an organic vapor cartridge. A respiratory program that

meets OSHA's 29 CFR 1910.34 & ANSI Z88.2 requirements must be followed.

Engineering Controls: Good general ventilation required.

Section 9 Physical and Chemical Properties

<u>Property</u> <u>Value</u>

CLEAR SPRAY/MIST NOT AVAILABLE Auto Ignition Temp Appearance **Boiling Point** -26.5 C Color **COLORLESS Decomposition Temperature NOT AVAILABLE Evaporation Rate NOT AVAILABLE Explosive Limit Ranges** NOT AVAILABLE **Explosive Properties** NOT AVAILABLE Flash Point NOT APPLICABLE Melting/Freezing Point -101 C / -103 C Odor **ETHERIAL** Odor Threshold **NOT AVAILABLE** Other Information VOC content (wt. %): 100 Oxidizing Properties **NOT AVAILABLE**

Partition Coeff NOT AVAILABLE Physical State GAS
Relative Density 1.2 Solubility (Water) 1930 mg/l

Vapor Density 0.27 lb/ft3 Vapor Pressure 592 kPa absolute @ 70 F Viscosity NOT AVAILABLE pH NOT APPLICABLE

Section 10 Stability and Reactivity

Reactivity: Under normal conditions of storage and use, hazardous reactions will not occur.

Chemical Stability: Stable under normal conditions.

Incompatible Materials: ALUMINUM

Conditions to Avoid: High temperatures, open flames, sparks, welding.

Decomposition Products: Fluorine, Carbonyl fluoride.

Vapors may ignite at temperatures exceeding flash point.

Section 11 Toxicological Information

Primary Route of Entry: Inhalation, skin contact

Acute/Potential Health Effects:

EYES: May cause eye irritation and damage due to frostbite.

SKIN: May cause frostbite.

INHALATION: Asphyxiant in high concentrations: may displace oxygen and cause rapid suffocation.

INGESTION: Not considered a potential route of exposure.

Chronic / Long Term Effects: None known.

Target Organ Effects: None known.

Reproductive/Developmental Information: Not available.

 Trade Name:
 Canned Air
 SDS #:
 4634
 Page 3 of 5

 SDS ID:
 SDS00199
 463416B
 Revision # 1
 Revision Date 05/01/2015



Carcinogenic Information: This material is not listed as a carcinogen by IARC, NTP or OSHA.

Acute Toxicity Values:

LC50 Inhalation, rat, 1500 g/m3, 4 hr.

Section 12 Ecological Information

Not available.

Section 13 Disposal Considerations

Waste must be disposed of in accordance with federal, state and local environmental control regulations. See label for further instructions.

Section 14 Transport Information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

UN number 1950

Proper shipping name Aerosols, nonflammable

Class 2.2

Packing group -

Section 15 Regulatory Information

If identified components of this product are **CERCLA** hazardous substances and/or listed under <u>Sections 302, 304, or 313 of</u>

<u>Title III</u> of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (also known as EPCRA, the Emergency Planning and Community Right-To-Know Act), or under <u>California Proposition 65</u> (Safe Drinking Water and Toxic Enforcement Act), they are listed above in Section 15 of this SDS.

If identified components of this product are listed under Section 313, this product contains toxic chemicals subject to the reporting requirements of Section 313. This information must be included in all SDS that are copied and distributed for this material.

Title III Section 311/312 Hazardous Categories - 40 CFR 370.2:

ACUTE (X) Chronic () Fire () Pressure (X) Reactive () Not Applicable ()

<u>T.S.C.A. Status:</u> All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

<u>RCRA Status:</u> Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. If this product becomes hazardous waste it would be assigned RCRA Code(s)

None

Section 16 Other Information

 Trade Name:
 Canned Air
 SDS #:
 4634
 Page 4 of 5

 SDS ID:
 SDS00199
 463416B
 Revision # 1
 Revision Date
 05/01/2015



HMIS Ratings:



Disclaimer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

Preparation/Revision Date: 5/1/15

 Trade Name:
 Canned Air
 SDS #:
 4634
 Page 5 of 5

 SDS ID:
 SDS00199
 463416B
 Revision # 1
 Revision Date
 05/01/2015