

# Section 1 Identification

Trade Name: Ultra Emulsifier

Product Identification: 6331

Synonyms: Water-based alkali detergent

**Product Use Description:** 

Floor Finish Remover

General Info Phone: (800) 795-9222 Emergency Phone: (800) 535-5053

Supplier:

ABC COMPOUNDING CO. INC.

6970 JONESBORO RD Morrow, GA 30260

# Section 2 Hazards Identification

#### Classifications

Skin corrosion - Category 1

Eye Damage - Category 1

Acute Toxicity - Oral - Category 4

Specific Target Organ Toxicity (Single exposure) - Category 3

Flammable Liquids - Category 4



Signal Word: Danger

#### **Hazard Statements**

Keep out of reach of children.

Read label and SDS before use.

Causes severe skin burns and eye damage

May cause respiratory irritation.

Harmful if swallowed

Combustible liquid

#### **Precautionary Statements**

### Prevention

Wash hands thoroughly after handling.

Wear protective gloves and clothing.

Wear eye and face protection.

Avoid breathing vapors. Use only in a well-ventilated area.

Keep away from flames and hot surfaces. □-No smoking.

Do not eat, drink or smoke when using this product.

Keep cool.

#### Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with soap and water/shower.

Wash contaminated clothing before reuse.

 Trade Name:
 Ultra Emulsifier
 SDS #:
 6331
 Page 1 of 6

 SDS ID:
 SDS00313 6331
 Revision # 1
 Revision Date 05/08/2015



IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center or a physician

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a poison center or a physician.

#### Storage

Store locked up in a well-ventilated place.

Keep container tightly closed.

#### Disposal

Dispose of contents and container in accordance with all local, regional, and national regulations.

#### **Hazards Not Otherwise Specified**

Not applicable

#### Section 3 Composition

·		
		Concentration
Chemical Name	<u>CAS #</u>	% by Weight
2-butoxyethanol	111-76-2	>=15 <= 20
Monoethanolamine	141-43-5	>=15 <= 20

#### Section 4 First Aid

#### EMERGENCY OVERVIEW

DANGER. Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation.

EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a poison center or a physician.

SKIN: Take off immediately all contaminated clothing and wash it before reuse. Wash with plenty of soap and water/shower. If skin irritation persists get medical attention.

INHALATION: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or a doctor.

 $\label{local_equation} \textbf{INGESTION: Rinse mouth. Do not induce vomiting. Seek medical attention immediately.}$ 

# Section 5 Fire Fighting Measures

 Trade Name:
 Ultra Emulsifier
 SDS #:
 6331
 Page 2 of 6

 SDS ID:
 SDS00313
 6331
 Revision # 1
 Revision Date
 05/08/2015



#### Suitable fire extinguishing media:

Use water spray, fog or foam.

#### Specific hazards arising from the chemical:

Containers may build pressure and rupture.

#### Hazardous thermal decomposition products:

Carbon Dioxide, Carbon Monoxide

#### Specific fire-fighting methods:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

#### Special protective equipment for fire fighters:

Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

### Section 6 Accidental Release Measures

#### Personal precautions:

Put on appropriate personal protective equipment (see section 8)

#### Environmental precautions and clean-up methods:

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

# Section 7 Handling and Storage

Do not use or store near heat, sparks or open flame. Store in a cool, dry place. Do not get in eyes, on skin or on clothing. Avoid breathing fumes. Keep out of reach of children.

# Section 8 Exposure Controls/Personal Protection

2-butoxyethanol

ACGIH TLV 20 ppm OSHA PEL 25 ppm (skin)

Monoethanolamine

ACGIH TLV 3 ppm OSHA PEL 3 ppm

Eye Protection: Wear safety glasses or goggles.

**Skin Protection:** Wear impervious gloves (made from rubber, nitrile or neoprene), clothing, and boots.

Respiratory Protection: When respiratory protection is required, use an organic vapor & particulate cartridge. All respiratory

programs must meet OSHA's 29 CFR 1910.34 & ANSI Z88.2 requirements.

Engineering Controls: Good general ventilation required.

# Section 9 Physical and Chemical Properties

 Trade Name:
 Ultra Emulsifier
 SDS #:
 6331
 Page 3 of 6

 SDS ID:
 SDS00313 6331
 Revision # 1
 Revision Date 05/08/2015



# Safety Data Sheet

# Ultra Emulsifier

<u>Property</u> <u>Value</u>

Appearance CLEAR LIQUID Auto Ignition Temp NOT AVAILABLE

Boiling Point NOT AVAILABLE Color YELLOW

Decomposition Temperature NOT AVAILABLE Evaporation Rate NOT AVAILABLE Explosive Limit Ranges NOT AVAILABLE Explosive Properties NOT AVAILABLE

Flash Point 144 F Melting/Freezing Point NOT AVAILABLE
Odor BUTYL Odor Threshold NOT AVAILABLE
Other Information VOC content (wt. %): 37.5 Oxidizing Properties NOT AVAILABLE

Partition Coeff NOT AVAILABLE Physical State LIQUID
Relative Density 1.0 Solubility (Water) COMPLETE

Vapor Density NOT AVAILABLE Vapor Pressure NOT AVAILABLE

Viscosity NOT AVAILABLE pH 11-12

# Section 10 Stability and Reactivity

**Reactivity:** Under normal conditions of storage and use, hazardous reactions will not occur.

Chemical Stability: Stable under normal conditions.

Incompatible Materials: Acids and strong oxidizers

Conditions to Avoid : High temperatures

**Decomposition Products:** CO, CO2

# Section 11 Toxicological Information

Primary Route of Entry: Skin contact, eye contact, inhalation

#### Acute/Potential Health Effects:

**EYES:** Causes severe irritation experienced as discomfort or pain, excess blinking and tear production, with redness and swelling of the conjunctiva.

**SKIN:** Brief contact may cause slight irritation. Prolonged contact may cause more severe irritation with pain, local redness and swelling and possible tissue destruction.

**INHALATION:** High vapor concentrations may be irritating to respiratory tract.

**INGESTION:** Harmful or fatal if swallowed. Corrosive. Can cause severe burns and complete tissue perforation of mucous membranes, mouth, throat and stomach.

**Chronic / Long Term Effects:** 2-Butoxyethanol has caused red blood cell hemolysis in lab animals and secondary injury to the liver and kidney.

Target Organ Effects: Liver, kidney, lungs and upper respiratory tract, gastrointestinal tract, eyes, skin.

Reproductive/Developmental Information: No data.

Carcinogenic Information: This material is not listed as a carcinogen by IARC, NTP or OSHA.

**Acute Toxicity Values:** 

Monoethanolamine: Oral - LD50, rat 1720 mg/Kg; Dermal - LD50, rabbit 1025 mg/Kg

2-butoxyethanol: Ingestion - LD50, rat, 1300 mg/Kg; Dermal LD50, guinea pig 1400 mg/Kg; Inhalation - LC50, 1 hr, vapor, guinea

pig > 3.1 mg/l

 Trade Name:
 Ultra Emulsifier
 SDS #:
 6331
 Page 4 of 6

 SDS ID:
 SDS00313
 6331
 Revision # 1
 Revision Date
 05/08/2015



# Section 12 Ecological Information

2-butoxyethanol: EC50, Daphnia magna, static test, 48 h, immobilization: 1550 mg/l Monoethanolamine: Fish LC50, Pimephales promelas (fathead minnow), 227 mg/l, 96 hr.

#### Section 13 Disposal Considerations

Waste must be disposed of in accordance with federal, state and local environmental control regulations. See label for further instructions.

### Section 14 Transport Information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

UN number 3267

**Proper shipping name** Corrosive Liquid, Basic, Organic, n.o.s. (contains Ethanolamine)

Class 8

Packing group ||

# Section 15 Regulatory Information

# Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (40 CFR 372.65) 2-butoxyethanol

If identified components of this product are **CERCLA** hazardous substances and/or listed under <u>Sections 302, 304, or 313 of</u>

<u>Title III</u> of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (also known as EPCRA, the Emergency Planning and Community Right-To-Know Act), or under <u>California Proposition 65</u> (Safe Drinking Water and Toxic Enforcement Act), they are listed above in Section 15 of this SDS.

If identified components of this product are listed under Section 313, this product contains toxic chemicals subject to the reporting requirements of Section 313. This information must be included in all SDS that are copied and distributed for this material.

Title III Section 311/312 Hazardous Categories - 40 CFR 370.2:

ACUTE (X) Chronic (X) Fire (X) Pressure () Reactive () Not Applicable ()

<u>T.S.C.A. Status:</u> All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

<u>RCRA Status:</u> Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. If this product becomes hazardous waste it would be assigned RCRA Code(s)

D002

### Section 16 Other Information

**HMIS Ratings:** 

 Trade Name:
 Ultra Emulsifier
 SDS #:
 6331
 Page 5 of 6

 SDS ID:
 SDS00313 6331
 Revision # 1
 Revision Date 05/08/2015





Disclaimer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

Preparation/Revision Date: 5/8/15

 Trade Name:
 Ultra Emulsifier
 SDS #:
 6331
 Page 6 of 6

 SDS ID:
 SDS00313
 6331
 Revision # 1
 Revision Date
 05/08/2015