

# Maximum

## Section 1 Identification

Trade Name: Maximum Product Identification: 6596

Synonyms: Water-based polymer emulsion

**Product Use Description:** 

Floor finish

General Info Phone: (800) 795-9222 Emergency Phone: (800) 535-5053

Supplier:

ABC COMPOUNDING CO. INC.

6970 JONESBORO RD Morrow, GA 30260

## Section 2 Hazards Identification

#### Classifications

Toxic to reproduction - Category 1B Eye Irritation - Category 2



Health Hazard

Signal Word: Danger

### **Hazard Statements**

Keep out of reach of children. Read label and SDS before use.

May damage the unborn child. Suspected of damaging fertility.

Causes serious eye irritation

## **Precautionary Statements**

#### Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves, clothing, and eye protection.

### Response

If exposed or concerned: Get medical attention.

IF SWALLOWED: Immediately call a poison center.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical attention.

#### Storage

Store locked up.

# Disposal

Dispose of contents and container in accordance with all local, regional, and national regulations.

### **Hazards Not Otherwise Specified**

Not applicable

 Trade Name:
 Maximum
 SDS #:
 6596
 Page 1 of 4

 SDS ID:
 SDS00526
 6596
 Revision # 1
 Revision Date 05/17/2015



## Maximum

## Section 3 Composition

		Concentration
Chemical Name	CAS#	% by Weight
Diethylene Glycol Ethyl Ether	111-90-0	>=1 <= 5
Dipropylene Glycol Methyl Ether	34590-94-8	>=1 <= 5
Dibutyl Phthalate	84-74-2	>=1 <= 2

# Section 4 First Aid

#### **EMERGENCY OVERVIEW**

DANGER. May be harmful if swallowed. May irritate eyes and skin.

EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

SKIN: Wash with plenty of soap and water. If skin irritation occurs get medical attention. Take off contaminated clothing and wash it before reuse.

INHALATION: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.

INGESTION: May be harmful if swallowed. Seek medical attention immediately.

## Section 5 Fire Fighting Measures

## Suitable fire extinguishing media:

Use water spray, fog or foam.

#### Specific hazards arising from the chemical:

Containers may build pressure and rupture.

## Hazardous thermal decomposition products:

Carbon Dioxide, Carbon Monoxide

### Specific fire-fighting methods:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

### Special protective equipment for fire fighters:

Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

# Section 6 Accidental Release Measures

 Trade Name:
 Maximum
 SDS #:
 6596
 Page 2 of 4

 SDS ID:
 SDS00526
 6596
 Revision # 1
 Revision Date 05/17/2015



### Maximum

#### Personal precautions:

Put on appropriate personal protective equipment (see section 8)

#### **Environmental precautions and clean-up methods:**

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

## Section 7 Handling and Storage

Do not use or store near heat, sparks or open flame. Store in a cool, dry place. Do not get in eyes, on skin or on clothing. Keep out of reach of children.

## Section 8 Exposure Controls/Personal Protection

Dibutyl Phthalate

 ACGIH TLV
 5 mg/m3

 OSHA PEL
 5 mg/m3

Diethylene Glycol Ethyl Ether

ACGIH TLV 25 ppm OSHA PEL 25 ppm

Eye Protection: Wear safety glasses or goggles.

Skin Protection: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene).

Respiratory Protection: No special requirements are needed for this material.

Engineering Controls: Good general ventilation required.

## Section 9 Physical and Chemical Properties

Property Value **Appearance EMULSION Auto Ignition Temp NOT AVAILABLE Boiling Point NOT AVAILABLE** WHITE Color **Decomposition Temperature NOT AVAILABLE Evaporation Rate NOT AVAILABLE Explosive Limit Ranges NOT AVAILABLE Explosive Properties NOT AVAILABLE** Flash Point NONE Melting/Freezing Point **NOT AVAILABLE** Odor **ODORLESS** Odor Threshold **NOT AVAILABLE** Other Information VOC content (wt. %): 3.0 Oxidizing Properties **NOT AVAILABLE** LIQUID Partition Coeff Physical State **NOT AVAILABLE** Relative Density 1.04 Solubility (Water) COMPLETE Vapor Density NOT AVAILABLE Vapor Pressure **NOT AVAILABLE NOT AVAILABLE** Viscosity pΗ 7-9

# Section 10 Stability and Reactivity

**Reactivity:** Under normal conditions of storage and use, hazardous reactions will not occur.

Chemical Stability: Stable under normal conditions.

Incompatible Materials: Acids and strong oxidizers

Conditions to Avoid : High temperatures

**Decomposition Products:** CO, CO2

## Section 11 Toxicological Information

Primary Route of Entry: Skin contact

 Trade Name:
 Maximum
 SDS #:
 6596
 Page 3 of 4

 SDS ID:
 SDS00526 6596
 Revision # 1
 Revision Date 05/17/2015



### Maximum

#### **Acute/Potential Health Effects:**

EYES: May cause eye irritation. Symptoms include stinging, tearing and redness.

SKIN: May cause skin irritation.

**INHALATION:** High vapor concentrations may be irritating to respiratory tract.

INGESTION: May cause headache, dizziness, incoordination, nausea, vomiting, diarrhea and general weakness.

Chronic / Long Term Effects: None known.

Target Organ Effects: Kidney, liver

Reproductive/Developmental Information: Dibutyl phthalate is suspected of damaging fertility; may damage the unborn child.

Carcinogenic Information: This material is not listed as a carcinogen by IARC, NTP or OSHA.

## Section 12 Ecological Information

Not available

## Section 13 Disposal Considerations

Waste must be disposed of in accordance with federal, state and local environmental control regulations. See label for further instructions.

## Section 14 Transport Information

Not regulated

## Section 15 Regulatory Information

**CERCLA RQ (40 CFR 302)** 

Dibutyl Phthalate

Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 (40 CFR 372.65)

10 lbs

**Dibutyl Phthalate** 

Diethylene Glycol Ethyl Ether

## Section 16 Other Information

### **HMIS Ratings:**



Disclaimer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

Preparation/Revision Date: 5/17/15

 Trade Name:
 Maximum
 SDS #:
 6596
 Page 4 of 4

 SDS ID:
 SDS00526
 6596
 Revision # 1
 Revision Date 05/17/2015