Our AERO® line of Herbicides consists of a full range of nonselective weed killers, including oil and waterbased products, liquids and granular, nonresiduals and soil sterilants.

HIGHLIGHTS

- Non-residual
- 18% Concentrate
- Contains Glyphosate

TYPICAL PROPERTIES

Specific Gravity: 1.07

Glyphosate: 18%

Coverage:3-6 ounces per 300 square feet

Appearance: Amber liquid

Odor: Slight amine odor

SAFETY CAUTIONS

- Keep out of reach of children.
- Harmful if swallowed. May cause eye irritation. Avoid contact with skin, eyes or clothing.
- Refer to M.S.D.S. and product label for additional safety information and directions for use.

HMIS RATINGS

Flammability





Round One Non-selective Weed Killer

Controls weeds and grasses through foliage and root contact

This product is a nonselective herbicide that is diluted and applied to the foliage of actively growing weeds as a spot or broadcast application. It is absorbed by the leaves and moves throughout the stem and roots to control the entire plant. Visible symptoms may require a week or more to appear, with burndown usually occurring in 2 to 4 weeks. Symptoms are a gradual wilting and yellowing of the sprayed plant followed by deterioration of both shoots and roots. This product has no herbicidal activity in the soil and will not wash or leach to affect nearby vegetation.

This product controls many weeds around buildings, vacant lots, storage and recreational areas, gravel or ground bark mulch, shade trees, ornamentals and shrubs, along fences, sidewalks, driveways and patios; and prior to planting turfgrasses or shrubs listed on the label. When used as a spot treatment in lawns, all vegetation contacted will be damaged.

DIRECTIONS FOR USE

THIS PRODUCT CAN INJURE OR DESTROY ALL VEGETATION CONTACTED. AVOID SPRAY DRIFT CONTACT WITH DESIRABLE LAWN GRASSES, FLOWERS, VEGETABLES, SHRUBS OR TREES. DO NOT CONTACT GREEN BARK OF TREES OR SHRUBS. IF DESIRABLE VEGETATION IS CONTACTED, WASH IMMEDIATELY WITH WATER.

WHEN TO APPLY

Apply to vigorously growing plants. Apply to annual weeds at any time after emergence. For best results apply to perennial weeds after seedheads, flowers, or berries appear. On woody brush or trees, apply after leaves have fully expanded. Applications made at less than the recommended stage of growth may result in reduced control. After mowing, clipping or tilling, allow weeds to regrow to the recommended growth stage before spraying this product. Rainfall or watering within 6 hours after application can wash the product of plant foliage which may require retreatment. Delay mowing, clipping, tilling, planting or sodding of treated areas for at least 7 day after application. This allows time for this product to move within the plant for most effective results. SINCE THIS PRODUCT DOES NOT WORK IN SOIL, RETREATMENTS WILL BE NECESSARY TO CONTROL NEW WEEDS EMERGING FROM SEED.

HAND-HELD SPRAYERS

Add 3 to 6 fluid ounces of this product to 1 gallon of clean water (1 gallon of solution will treat approximately 300 square feet). Use the higher recommended rate for control of listed perennials and brush. Use pump-up-type or hand-trigger-type sprayers. USE OF HOSE-END SPRAYERS OR SPRINKLER-TYPE DEVICES MAY RESULT IN POOR AND/OR ERRATIC RESULTS. 6668_08_02

distributed by:

